INDEX TO VOLUME 1

AUTHOR INDEX

A

AELLIG, W.H. Experiments in healthy volunteers with LL 21-945–a long-acting beta-adrenoceptor blocking drug, 350P

AHMAD, R. *see* MAWER, G.E., 45

ALLUM, WENDY, AMINU, J., BLOOMFIELD, T.H., DAVIES, CAROL, SCALES, A.H. & VERE, D.W. Interaction between debrisoquine and phenylephrine in man, 51

AMINU, J. *see* ALLUM, WENDY, 51

ARMITAGE, A.K., DOLLERY, C.T., GEORGE, C.F., HOUSEMAN, T.H., LEWIS, P.J. & TURNER, D.M. Absorption and metabolism of nicotine by man during cigarette smoking, 180P

ASHWELL, MARGARET A preliminary study of the effect of norfenfluramine on lipogenesis by human adipose tissue *in vitro*, 413

ASSAF, R.A.E., DUNDEE, J.W. & GAMBLE, J.A.S. Factors influencing plasma diazepam levels following a single administration, 343P

ASSAF, R.A.E., DUNDEE, J.W. & SAMUEL, I.O. The efficacy of metoclopramide against narcotic-induced emetic symptoms, 177P

B

BAKER, J. *see* MACKAY, A.V.P., 425

BALAZS, T. & WOLFF, F. Cardiotoxic effects of vasodilating antihypertensive drugs and the use of β-adrenoceptor blocking agents, 182P

BARBER, H.E., CALVEY, T.N., MUIR, K. & HAKT, A. Biological availability and *in vitro* dissolution of oxytetracycline dihydrate tablets, 405P

BARNETT, D.B., SMITH, R.N., GREENWOOD, N.D. & HETHERINGTON, C. Bioavailability of commercial tetracycline products, 319

BAYLISS, P.F.C. & DUNCAN, S.M. The clinical pharmacology of viloxazine hydrochloride–a new anti-depressant of novel chemical structure, 431

BELL, M.A. *see* BROOKS, P.M., 287

BELL, M.A. *see* BROOKS, P.M., 485

BENNETT, P.N., FRIGO, G.M. & WEERASINGHE, W.M.T. (introduced by LAURENCE, D.R.). Carbenoxolone sodium and aspirin absorption from the alimentary tract, 178P

BERGMANN, S., CURZON, G., FRIEDEL, J., GODWIN-AUSTIN, R.B., MARSDEN, C.D. & PARKES, J.D. The absorption and metabolism of a standard oral dose of levodopa in patients with Parkinsonism, 417

BERRY, P.A., BURTLES, R., GRUBB, D.J. & HOARE, MARGARET, V. An evaluation of the effects of clobazam on human motor co-ordination, mental acuity and mood, 346P

BERYLYNE, G.M., FINBERG, J.P.M. & YORAN, C. The effect of β-adrenoceptor blockade on body temperature and plasma renin activity in heat-exposed man, 307

BINNS, T.B. Continuing education and clinical pharmacology, 449

BIRCH, N.J., GOODWIN, J.C., HULLIN, R.P. & TYRER, S.P. Absorption and excretion of lithium following administration of slow-release and conventional preparations, 339P

BLACKWELL, ELAINE *see* DAVIES, D.S., 129

BLOOMFIELD, T.H. *see* ALLUM, WENDY, 51

BOAKES, A.J. Another drug interaction, 9

BOGAERT, M.G. *see* VAN DURME, J.P., 461

BORLAND, R.G., FERRES, HELEN, M. & NICHOLSON, A.N. Human performance after a barbiturate (heptabarbitone), 343P

BORLAND, R.G. & NICHOLSON, A.N. Human performance after barbiturate (heptabarbitone), 209

BOWYER, A. *see* SIMMONDS, H.A., 107

BRAIN, M.C., CARD, R.T., KANE, J., LYONNAIS, J. & DOLLERY, C.T. Acute effects of varying doses of propanolol upon oxygen haemoglobin affinity in man, 67

BRAND, ROSE, SAUNDERS, J., STEWART-JONES, J. & RICHENS, A. Effect of diazepam on oculomotor balance, 335

BRECKENRIDGE, A. Interactions with warfarin, 285

BREZINOVA, VLASTA. Effect of caffeine on sleep: EEG study in late middle age people, 203

BRIANT, R.H. & GEORGE, C.F. The assessment of potential drug interactions with a new tricyclic antidepressant drug, 113

BROOKS, P.M., BELL, M.A., LEE, P., ROONEY, P.J. & DICK, W.C. The effect of frusemide on indomethacine plasma levels, 485

BROOKS, P.M., BELL, M.A., STURROCK, R.D., FAMAEY, J.P. & DICK, W.C. The clinical significance of indomethacin–probenecid interaction, 287

BROOKS, P.M., DICK, W.C., SHARMA, J.N. & ZEITLIN, I.J. Changes in plasma kininogen levels associated with rheumatoid activity, 351P

BRYAN, P.C., EFIONG, D.O., STEWART-JONES, J. & TURNER, P. Propranolol on tests of visual function and central nervous activity, 82

BURLAND, W.L. *see* REUTER, CELIA J., 439

BURTLES, R. *see* BERRY, P. A., 346P

BYE, C., DEWSBURY, D. & PECK, A.W. Effects on the human central nervous system of two isomers of ephedrine and triprolidine, and their interaction, 71
BYE, C., FOWLE, A.S.E. & PECK, A.W. A comparison of triprolidine and clemastine on histamine antagonism and performance tests in man, 342P
BYE, C., HART, J., PECK, A.W. & WILKINSON, R.T. Effects of low doses of amylobarbitone and diazepam on human performance tests, 173P

C

CALVEY, T.N. *see* BARBER, H.E., 405
CARD, R.T. *see* BRAIN, M.C., 67
CARRUTHERS, S.G., GHOSAL, A., McDEVITT, D.G., NELSON, J.K. & SHANKS, R.G. The assessment of β-adrenoceptor blocking drugs in hyperthyroidism, 93
CARRUTHERS, S.G., KELLY, J.G., McDEVITT, D.G. & SHANKS, R.G. Studies on the parenteral administration of practolol, 181P
CAVES, P. CAYDEN, D., COLTART, J., DAVIES, R.O. & HARRISON, D.C. (introduced by DOLLERY, C.T.). Determination of the safe period for withdrawal of propranolol therapy, 182P
CAYDEN, D. *see* CAVES, P., 182P
CHAPUT DE SAINTONGE, D.M., ROBERTS, C.J.C., STRICKLAND, I.D. & VERE, D.W. A controlled trial of practolol in mild hypertension, 375
CLARKE, LESLEY Dialysis of drugs *in vitro*, 442
COLLIER, J.G., JENKINS, J.S., KEDDIE, J., KHAN, M.U.A. & ROBINSON, B.F. Effect of angiotensin-converting enzyme inhibitor on response of plasma renin activity and aldosterone to tilting in man, 313
COLTART, J. *see* CAVES, P., 182P
CONOLLY, M.E. *see* DAVIES, D.S., 129
COSTELLO, J.F. *see* SHENFIELD, GILLIAN, M., 237
CURZON, G., *see* BERGMANN, S., 417

D

DAVIES, B.H., WEATHERSTONE, R.M., GRAHAM, J.D.P. & GRIFFITHS, R.D. A pilot study of orally administered Δ^1-*trans*-tetrahydrocannabinol in the management of patients undergoing radiotherapy for carcinoma of the bronchus, 301
DAVIES, CAROL *see* ALLUM, WENDY, 51
DAVIES, D.S., GEORGE, C.F., BLACKWELL, ELAINE, CONOLLY, M.E. & DOLLERY, C.T. Metabolism of terbutaline in man and dog, 129
DAVIES, R.O. *see* CAVES, P., 182P
DAVIS, M., SIMMONS, C.J., DORDONI, BETINA & WILLIAMS, R. Urinary D-glucaric acid excretion and plasma antipyrine kinetics during enzyme induction, 253
DAVIS, S.S. *see* WILLIAMS, M.E., 99
DAVIS, S.S. *see* WILLIAMS, M.E., 259
DEAN, B.M., PERRETT, D., SIMMONDS, H.A. & GRAHAME, R. Thiopurinol: comparative enzyme inhibition and protein binding studies with allopurinol, oxypurinol and 6-mercaptopurine, 119
DETTMAR, P.W., METCALF, G., SMITH, M.H., GILLET, G.B., HEDGES, ANNMARIE & RICHENS, A. Preliminary assessment of RX 72601, a new anticholinesterase in man: reversal of competitive neuromuscular blockade, 217
DEWSBURY, D *see* BYE, C., 71
DICK, W.C. *see* BROOKS, P.M., 287
DICK, W.C. *see* BROOKS, P.M., 351P
DICK, W.C. *see* BROOKS, P.M., 485
DOBBS, SYLVIA, M. *see* MAWER, G.E., 45
DOBREE, C. *see* GHOSE, KARABI, 516
DOLLERY, C.T. *see* ARMITAGE, A.K., 180P
DOLLERY, C.T. *see* BRAIN, M.C., 67
DOLLERY, C.T. *see* CAVES, P., 182P
DOLLERY, C.T. *see* DAVIES, D.S., 129
DORDONI, BETINA *see* DAVIS, M., 253
DUNCAN, S.M. *see* BAYLISS, P.F.C., 431
DUNDEE, J.W. *see* ASSAF, R.A.E., 177P
DUNDEE, J.W. *see* ASSAF, R.A.E., 343P
DUNNE, J.F. & VERE, D.W. Sequential procedures in perspective, 91

E

EDWARDS, I.R., HANCOCK, B.W. & SAYNOR, R., Correlation between plasma quinidine and cardiac effect, 455
EFIONG, D.O. *see* BRYAN, P.C., 82
EVANS, MARION, E., SHENFIELD, GILLIAN, M. & PATERSON, J.W. The clinical pharmacology of salmefamol, 391
EVANS, MARION, E. *see* SHENFIELD, GILLIAN, M., 295

F

FAMAEY, J.P. *see* BROOKS, P.M., 287
FERRES, HELEN, M. *see* BORLAND, R.G., 343P
FINBERG, J.P.M. *see* BERYLYNE, G.M., 307
FINCH, J.E., KENDALL, M.J. & MITCHARD, M. An assessment of gastric emptying by breathalyser, 233
FLANAGAN, R.J. & RICHENS, A. The influence of elevated plasma hydrocortisone concentrations on antipyrine metabolism in man, 409
FOWLE, A.S.E. *see* BYE, C., 342P
FRIEDEL, J. *see* BERGMANN, S., 417
FRIGO, G.M. *see* BENNETT, P.N., 178P
FRY, D.E. *see* TWYCROSS, R.G., 491

G

GALLOWAY, D.B. *see* GILBERT, J.C., 249
GAMBLE, J.A.S. *see* ASSAF, R.A.E., 343P
GARNHAM, J.C., RAYMOND, K., SHOTTON, E. & TURNER, P. Some observations on the influence of buffered aspirin on the absorption of indomethacin in man, 178P
GAZZARD, B.G., WILLSON, R.A., WESTON, M.J., THOMPSON, R.P.H. & WILLIAMS, R. Charcoal haemoperfusion for paracetamol overdose, 271
GEORGE, C.F. *see* ARMITAGE, A.K., 180P

GEORGE, C.F. *see* BRIANT, R.H., 113
GEORGE, C.F. *see* DAVIES, D.S., 129
GEORGE, A.J. *see* HUNT, B. J., 174P
GHOSAL, A., *see* CARRUTHERS, S.G., 93
GHOSE, KARABI, DOBREE, C., TAYLOR, P. & TURNER, P. Interactions of amitriptyline with guanethidine and thymoxamine in the human iris, 516
GILBERT, J.C., SCOTT, A.K., GALLOWAY, D.B. & PETRIE, J.C. Ethosuximide: liver enzyme induction and D-glucaric acid excretion, 249
GILLETT, G.B. *see* DETTMAR, P.W., 217
GODWIN-AUSTEN, R.B. *see* BERGMANN, S., 417
GOODWIN, J.C. *see* BIRCH, N.J., 339P
GRAHAM, J.D.P. *see* DAVIES, B.H., 301
GRAHAME, R. *see* DEAN, B.M., 119
GRANVILLE-GROSSMAN, K. Propranolol, anxiety and the central nervous system, 316
GRAYSON, M.F. *see* HUSKISSON, E.C., 151
GREENWOOD, N.D. *see* BARNETT, D.B., 319
GRIFFITHS, R.D. *see* DAVIES, B.H., 301
GROVE, J. *see* IRVINE, R.E., 41
GRUBB, D.J. *see* BERRY, P.A., 346P
BRUBER, C.M. JR. *see* HELLEBERG, L., 371

H

HANCOCK, B.W. & MARTIN, J.F. Attempted suicide with potassium clorazepate, 512
HANCOCK, B.W. *see* EDWARDS, I.R., 455
HARKNESS, R.A. & RENZ, M. Endocrine effects of the antimycotic compound, clotrimazole, and its related effects on enzymic activities in leucocytes, 342P
HARRISON, D.C. *see* CAVES, P., 182P
HART, A. *see* BARBER, H.E., 405
HART, J. *see* BYE, C., 173P
HEALEY, A.F. *see* MACKAY, A.V.P., 425
HEDGES, ANNMARIE, *see* DETTMAR, P.W., 217
HELLEBERG, L., RUBIN, A., WOLEN, R.L. RODDA, B.E., RIDOLFO, A.S. & GRUBER, C.M. JR. A pharmacokinetic interaction in man between phenobarbitone and fenoprofen, a new anti-inflammatory agent, 371
HENRYK-GUTT, RITA *see* LATHAM, A.N., 277
HERXHEIMER, A. & VERSTER, J. Measuring the effects of oral sodium quinalbarbitone (secobarbital) and of fasting on the performance of intelligence tests, 175P
HETHERINGTON, C. *see* BARNETT, D.B., 319
HOARE, MARGARET, V. *see* BERRY, P.A., 346P
HOPKINS, J. & TUDHOPE, G.R. The effects of drugs on erythrocytes *in vitro*: Heinz body formation, glutathione peroxidase inhibition and changes in mechanical fragility, 191
HOUGHTON, G.W. & RICHENS, A. Inhibition of phenytoin metabolism by sulthiame in epileptic patients, 59
HOUGHTON, G.W. & RICHENS, A. Rate of elimination of tracer doses of phenytoin at different steady-state serum phenytoin concentrations in epileptic patients, 155
HOUGHTON, G.W. & RICHENS, A. Dose dependent phenytoin half-life, 182P
HOUGHTON, G.W. & RICHENS, A. The effect of benzodiazepines and pheneturide on phenytoin metabolism in man, 344P
HOUSEMAN, T.H. *see* ARMITAGE, A.K., 180P
HULLIN, R.P. *see* BIRCH, N.J., 339P
HUNT, B.J., GEORGE, A.J. & RIDGES, A.P. Preliminary studies in humans on clobazam (HR376)–a new anti-anxiety agent, 174P
HUSKISSON, E.C. Catecholamine excretion and pain, 80
HUSKISSON, E.C. & GRAYSON, M.F. Indomethacin or amylobarbitone sodium for sleep in rheumatoid arthritis, with some observations on the use of sequential analysis, 151

I

IJADUOLA, O. *see* SHENFIELD, GILLIAN, M., 237
IRVINE, R.E., GROVE, J., TOSELAND, P.A. & TROUNCE, J.R. The effect of age on the hydroxylation of amylobarbitone sodium in man, 41

J

JENKINS, J.S. *see* COLLIER, J.G., 313
JOHNSON, B.F. & LADER, SUSAN Bioavailability of digoxin from rapidly dissolving preparations, 329

K

KANE, J. *see* BRAIN, M.C., 67
KARLSSON, E., MOLIN, LILIAN, NORLANDER, B. & SJOQVIST, F. Acetylation of procaine amide in man studied with a new gas chromatographic method, 467
KAYE, C.M. A simple spectrophotoflurometric method for the measurement of ICI 66082 in plasma and urine, 84
KAYE, C.M. The influence of pH on the renal excretion of ICI 66082 in man, 513
KAYE, C.M. & KUMANA, C.R. Enterohepatic circulation of practolol in man, 169
KAYE, C.M. *see* KIDDIE, MOIRA, A., 86
KAYE, C.M. *see* KIDDIE, MOIRA, A., 229
KAYE, C.M. *see* PARSONS, R.L., 348P
KEDDIE, J. *see* COLLIER, J.G., 313
KELLY, J.G. *see* CARRUTHERS, S.G., 181P
KENDALL, M.J. *see* FINCH, J.E., 233
KENDALL, M.J. *see* WILLIAMS, M.E., 99
KENDALL, M.J. *see* WILLIAMS, M.E., 259
KHAN, M.U.A. *see* COLLIER, J.G., 313
KIDDIE, MOIRA, A., KAYE, C.M., TURNER, P. & SHAW, T.R.D. The influence of urinary pH on the elimination of mexiletine, 229
KIDDIE, MOIRA, A. & KAYE, C.M. The renal excretion of mexiletine (Kö 1173) under controlled conditions of urine pH, 86
KILBORN, J.R. & TURNER, P. Ro 3-4787, a new β-adrenoceptor blocking agent: studies in normal volunteers, 143
KIRBY, MARILYN, J. & TURNER, P. Effect of amphetamine, fenfluramine and norfenfluramine on glucose uptake into human isolated skeletal muscle, 340P
KIRBY, MARILYN, J. & TURNER, P. Some preliminary observations on ICI 58 834, a new psychotropic agent, in man, 169

KIRBY, MARILYN, J. Dose related effect of fenfluramine and norfenfluramine on glucose uptake into human isolated skeletal muscle, 511
KOFI EKUE, J.M. & SHANKS, R.G. Some effects of Kö 1313 in animals and man, 27
KOFI EKUE, J.M., SHANKS, R.G. & WALSH, M.J. Observations on the effect of β-adrenoceptor blocking drugs on glyceryl trinitrate tachycardia, 19
KUMANA, C.R., MARLIN, G.E. & SMITH, D.M. (introduced by TURNER, P.) Exercise in the assessment of cardiac and pulmonary β-adrenoceptor blockade, 349P
KUMANA, C.R. *see* KAYE, C.M., 169

L

LADER, M. Plasma concentrations of tricyclic anti-depressive drugs, 281
LADER, M.H. *see* TYRER, P.J., 379
LADER, M.H. *see* TYRER, P.J., 387
LADER, SUSAN *see* JOHNSON, B.F., 329
LATHAM, A.N. & MACPHERSON, G.S. A simple technique for the rapid estimation of ethosuximide by gas liquid chromatography, 79
LATHAM, A.N., PADGHAM, CHERYL & HENRYK-GUTT, RITA. The effect of fluphenazine decanoate (Modecate®) on hepatic microsomal enzyme activity in man, 277
LAURENCE, D.R. *see* BENNETT, P.N., 178P
LEE, G., LINGSCH, C., LYLE, P.T. & MARTIN, K. Lithium treatment strongly inhibits choline transport in human erythrocytes, 365
LEE, P. *see* BROOKS, P.M., 485
LEWIS, P.J. *see* ARMITAGE, A.K., 180P
LINGSCH, C. *see* LEE, G., 365
LINNOILA, M., SAAIRO, I. & MATTILA, M.J. Drug-alcohol interaction on psychomotor skills during subacute treatment with benzodiazepines, flupenthixole, or lithium, 176P
LINNOILA, M., SEPPALA, T., MATTILA, M.J. Acute effect of antipyretic analgesics, alone or in combination with alcohol, on human psychomotor skills related to driving, 477
LOCKHART, J.D.F. *see* ROYDS, R.B., 13
LUCAS, S.B. *see* MAWER, G.E., 45
LUCAS, S.B. *see* MAWER, G.E., 163
LYLE, P.T. *see* LEE, G., 365
LYONNAIS, J. *see* BRAIN, M.C., 67

M

MACKAY, A.V.P., HEALEY, A.F. & BAKER, J. The relationship of plasma chlorpromazine to its 7-hydroxy and sulphoxide metabolites in a large population of chronic schizophrenics, 425
MACONOCHIE, J.G. *see* RICHARDS, D.A., 505
MACPHERSON, G.S. *see* LATHAM, A.N., 79
MARLIN, G.E. *see* KUMANA, C.R., 349P
MARSDEN, C.D. *see* BERGMANN, S., 417
MARTIN, J.F. *see* HANCOCK, B.W., 512
MARTIN, K. *see* LEE, G., 365
MATTILA, M.J. *see* LINNOILA, M., 176P
MATTILA, M.J. *see* LINNOILA, M., 477
MAWER, G.E., AHMAN, R., DOBBS, SYLVIA, M., McGOUGH, J.G., LUCAS, S.B. & TOOTH, J.A. Prescribing aids for gentamicin, 45
MAWER, G.E., MULLEN, P.W., RODGERS, MARGARET, ROBINS, A.J. & LUCAS, S.B. Phenytoin dose adjustment in epileptic patients, 163
MAWER, G.E. *see* WILKINSON, P.M., 241
McDEVITT, D.G. *see* CARRUTHERS, S.G., 93
McDEVITT, D.G. *see* CARRUTHERS, S.G., 181P
McGOUGH, J.G. *see* MAWER, G.E., 45
McLARTY, D.G. *see* SKELLERN, G.G., 265
METCALF, G. *see* DETTMAR, P.W., 217
MILLER, K.W. *see* SAWCHUK, R.J., 440
MITCHARD, M. *see* FINCH, J.E., 233
MITCHARD, M. *see* WILLIAMS, M.E., 99
MITCHARD, M. *see* WILLIAMS, M.E., 259
MOLIN, LILIAN *see* KARLSSON, E., 467
MUIR, K. *see* BARBER, H.E., 405
MULLEN, P.W. *see* MAWER, G.E., 163

N

NELSON, J.K. *see* CARRUTHERS, S.G., 93
NICHOLSON, A.N. *see* BORLAND, R.G., 209
NICHOLSON, A.N., *see* BORLAND, R.G., 343P
NORLANDER, B. *see* KARLSSON, E., 467

O

OHNAUS, E.E. The influence of dimethylbiguanide on phenprocoumone (Marcoumar®) elimination, 341P

P

PADGHAM, CHERYL & RICHENS, A. Quinine metabolism: a useful index of hepatic drug metabolizing capacity in man?, 352P
PADGHAM, CHERYL *see* LATHAM, A.N., 277
PARKES, J.D. *see* BERGMANN, S., 417
PARSONS, R.L. & KAYE, C.M. (introduced by TROUNCE, J.R.). Plasma propranolol and practolol in adult coeliac disease, 348P
PATERSON, J.W. *see* EVANS, MARION, E., 391
PATERSON, J.W. *see* SHENFIELD, GILLIAN, M., 237
PATERSON, J.W. *see* SHENFIELD, GILLIAN, M., 259,
PECK, A.W. *see* BYE, C., 71
PECK, A.W. *see* BYE, C., 173P
PECK, A.W. *see* BYE, C., 342P
PERRETT, D. *see* DEAN, B.M., 119
PETRIE, J.C. *see* GILBERT, J.C., 249
PHILLIPS, EILEEN, M. (introduced by TURNER, P.). Effect of anticholinergic drugs and cyclopenthiazide on sputum viscosity and volume in chronic bronchitic and asthmatic volunteers, 179P
POXON, R. *see* WILLIAMS, M.E., 99
POXON, R. *see* WILLIAMS, M.E., 259
PRESCOTT, L.F. Gastric emptying and drug absorption, 189

R

RAYMOND, K. *see* GARNHAM, J.C., 178P
RENZ, M. *see* HARKNESS, R.A., 342P
REUTER, CELIA, J. & BURLAND, W.L. Serum concentration and urinary excretion of uric acid following piribedil (ET 495), 439
RICHARDS, D.A., WOODINGS, E.P., STEPHENS, M.D.B. & MACONOCHIE, J.G. The effects of oral AH 5158, a combined α and β-adrenoceptor antagonist, in healthy volunteers, 505
RICHENS, A. The clinical consequences of chronic hepatic enzyme induction by anticonvulsant drugs, 185
RICHENS, A. *see* BRAND, ROSE, 335
RICHENS, A. *see* DETTMAR, P.W., 217
RICHENS, A. *see* FLANAGAN, R.J., 409
RICHENS, A. *see* HOUGHTON, G.W., 59
RICHENS, A. *see* HOUGHTON, G.W., 155
RICHENS, A. *see* HOUGHTON, G.W., 182P
RICHENS, A. *see* HOUGHTON, G.W., 344P
RICHENS, A. *see* PADGHAM, CHERYL, 352P
RICHENS, A. *see* WATSON, JUDITH, M., 223
RICHENS, A. *see* WHITE, C. DE B., 347P
RICHENS, A. *see* WHITE, C. DE B., 499
RICHTER, ANNA & SMITH, S.E. Bioavailability of different preparations of paracetamol, 495
RIDGES, A.P. *see* HUNT, B.J., 174P
RIDOLFO, A.S. *see* HELLEBERG, L., 371
ROBAYO, J. *see* SAWCHUK, R.J., 440
ROBERTS, C.J.C. *see* CHAPUT DE SAINTONGE, D.M., 375
ROBINS, A.J. *see* MAWER, G.E., 163
ROBINSON, B.F. *see* COLLIER, J.G., 313
RODDA, B.E. *see* HELLEBERG, L., 371
RODGERS, MARGARET *see* MAWER, G.E., 163
ROONEY, P.J. *see* BROOKS, P.M., 485
ROSSEEL, M.T. *see* VAN DURME, J.P., 461
ROYDS, R.B. & LOCKHART, J.D.F. The effect of indoramin on peripheral blood flow, 13
RUBIN, A. *see* HELLEBERG, L., 371

S

SAAIRO, I. *see* LINNOILA, M., 176P
SAMUEL, I.O. *see* ASSAF, R.A.E., 177P
SAUNAMAKI, K.I. Effect of the imidazone-derivative ST-91 on heart rate and blood pressure in healthy man, 197
SAUNDERS, J. *see* BRAND, ROSE, 335
SAWCHUK, R.J., ROBAYO, J. & MILLER, K.W. The distribution of propranolol between blood and plasma in hypertensive patients, 440
SAYNOR, R. *see* EDWARDS, I.R., 455
SCALES, A.H. *see* ALLUM, WENDY, 51
SCHIFF, A.A. *see* STEVENSON, I.H., 337
SCOTT, A.K. *see* GILBERT, J.C., 249
SEPPALA, T. *see* LINNOILA, M., 477
SHANKS, R.G. *see* CARRUTHERS, S.G., 93
SHANKS, R.G. *see* CARRUTHERS, S.G., 181P
SHANKS, R.G. *see* KOFI EKUE, J.M., 19
SHANKS, R.G. *see* KOFI EKUE, J.M., 27
SHARMA, J.N. *see* BROOKS, P.M., 351P
SHAW, T.R.D. *see* KIDDIE, MOIRA, A., 229
SHENFIELD, GILLIAN, M., EVANS, MARION, E. & PATERSON, J.W. The effect of different nebulizers with and without intermittent positive pressure breathing on the absorption and metabolism of salbutamol, 295
SHENFIELD, GILLIAN, M., PATERSON, J.W., COSTELLO, J.F. & IJADUOLA, O. The effect of prednisone treatment on the half-life of intravenous hydrocortisone, 237
SHENFIELD, GILLIAN M. *see* EVANS, MARION E., 391
SHOTTON, E. *see* GARNHAM, J.C., 178P
SILVERSTONE, T. Drugs and driving, 451
SIMMONDS, H.A. & BOWYER, A. Purine and pyrimidine excretion in psoriasis: a comparison with healthy controls during allopurinol therapy, 107
SIMMONDS, H.A. *see* DEAN, B.M., 119
SIMMONS, C.J. *see* DAVIS, M., 253
SIMS, B.A. Investigation of salbutamol tolerance, 291
SJOQVIST, F. *see* KARLSSON, E., 467
SKELLERN, G.G., STENLAKE, J.B., WILLIAMS, W.D. & McLARTY, D.G. Plasma concentrations of methimazole, a metabolite of carbimazole, in hyperthyroid patients, 265
SMITH, A.P. A comparison of the effects of prostaglandin E_2 and salbutamol by intravenous infusion on the airways obstruction of patients with asthma, 399
SMITH, D.M. *see* KUMANA, C.R., 349P
SMITH, M.H. *see* DETTMAR, P.W., 217
SMITH, R.N. *see* BARNETT, D.B., 319
SMITH, S.E. Dose-response relationships in tropicamide-induced mydriasis and cycloplegia, 37
SMITH, S.E., *see* RICHTER, ANNA, 495
STENLAKE, J.B. *see* SKELLERN, G.G., 265
STEPHENS, M.D.B. *see* RICHARDS, D.A., 505
STEVENSON, I.H. & SCHIFF, A.A. The effect of fluphenazine on steady state plasma levels of nortriptyline, 337
STEWART-JONES, J. *see* BRAND, ROSE, 335
STEWART-JONES, J. *see* BRYAN, P.C., 82
STRICKLAND, I.D. *see* CHAPUT DE SAINTONGE, D.M., 375
STURROCK, R.D. *see* BROOKS, P.M., 287

T

TAYLOR, P. *see* GHOSE, KARABI, 516
THOMPSON, R.P.H. *see* GAZZARD, B.G., 271
TOOTH, J.A. *see* MAWER, G.E., 45
TOSELAND, P.A. *see* IRVINE, R.E., 41
TROUNCE, J.R. *see* IRVINE, R.E., 41
TROUNCE, J.R. *see* PARSONS, R.L., 348P
TUDHOPE, G.R. *see* HOPKINS, J., 191
TURNER, D.M. *see* ARMITAGE, A.K., 180P
TURNER, P. Blood level or pharmacological response?, 11
TURNER, P. *see* BRYAN, P.C., 82
TURNER, P. *see* GARNHAM, J.C., 178P
TURNER, P. *see* GHOSE, KARABI, 516
TURNER, P. *see* KIDDIE, MOIRA, A., 229
TURNER, P. *see* KILBORN, J.R., 143
TURNER, P. *see* KIRBY, MARILYN, J., 169
TURNER, P. *see* KIRBY, MARILYN, J., 340P
TURNER, P. *see* KUMANA, C.R., 349P

TURNER, P. *see* PHILLIPS, EILEEN, M., 179P
TWYCROSS, R.G., FRY, D.E. & WILLS, P.D. The alimentary absorption of diamorphine and morphine in man as indicated by urinary excretion studies, 491
TYRER, P.J. & LADER, M.H. Physiological and psychological effects of ±-propranolol, +-propranolol and diazepam in induced anxiety, 379
TYRER, P.J. & LADER, M.H. Physiological response to propranolol and diazepam in chronic anxiety, 387
TYRER, S.P. *see* BIRCH, N.J., 339P

V

VAN DURME, J.P., BOGAERT, M.G. & RUSSEEL, M.T. Comparison of the therapeutic effectivess of aprinidine, procainamide and quinidine in chronic ventricular dysrhythmias, 461
VERE, D.W. *see* ALLUM, WENDY, 51
VERE, D.W. *see* CHAPUT DE SAINTONGE, D.M., 375
VERE, D.W. *see* DUNNE, J.F., 91
VESTER, J. *see* HERXHEIMER, A., 175P
VOLANS, G.N. Effects of food and exercise on the absorption of effervescent aspirin, 137

W

WADE, O.L., Guidelines for advertisers, 359
WALLACE, SUSAN & WHITING, B. Some clinical implications of the protein binding of digoxin, 325
WALSH, M.J., *see* KOFI EKUE, J.M., 19
WATSON, JUDITH, M. & RICHENS, A. The effects of salbutamol and terbutaline on physiological tremor, bronchial tone and heart rate, 223
WEATHERSTONE, R.M. *see* DAVIES, B.H., 301
WEERASINGHE, W.M.T. *see* BENNETT, P.N., 178P
WESLEY-HADZIJA, B. A simple method for the estimation of theophylline in plasma by gas liquid chromatography, 514
WESTON, M.J. *see* GAZZARD, B.G., 271
WHITE, C. DE B. (introduced by RICHENS, A.). Comparison of thymoxamine and diazepam in patients with spasticity, 347P
WHITE, C. DE B. & RICHENS, A. α-Adrenoceptor blocking drugs, pressor responses to noradrenaline, and the ankle jerk in man, 499
WHITING, B. *see* WALLACE, SUSAN, 325
WILKINSON, P.M. & MAWER, G.E. The persistence of adriamycin in man and rat, 241
WILKINSON, R.T. *see* BYE, C., 173P
WILLIAMS, M.E., DAVIS, S.S., POXON, R., KENDALL, M.J. & MITCHARD, D. The influence of diphenhydramine on the absorption of methaqualone in man, 259
WILLIAMS, M.E., KENDALL, M.J., MITCHARD, M., DAVIS, S.S. & POXON, R. Availability of methaqualone from commercial preparations: *in vitro* and *in vivo* studies in man, 99
WILLIAMS, R. *see* DAVIS, M., 253
WILLIAMS, R. *see* GAZZARD, B.G., 271
WILLIAMS, W.D. *see* SKELLERN, G.G., 265
WILLS, P.D. *see* TWYCROSS, R.G., 491
WILLSON, R.A. *see* GAZZARD, B.G., 271
WILSON, G.M. The new journal, 7
WOLEN, R.L. *see* HELLEBERG, L., 371
WOLFF, F. *see* BALAZS, T., 182P
WOODINGS, E.P. *see* RICHARDS, D.A., 505

Y

YORAN, C. *see* BERYLYNE, G.M., 307

Z

ZEITLIN, I.J. *see* BROOKS, P.M., 351P

SUBJECT INDEX

A

Adriamycin, persistence of, in man and rat, 241
AH 5158, a combined α and β-adrenoceptor antagonist, 505
– ,effects of oral, in healthy volunteers, 505
α-adrenoceptor blockers, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Aldosterone, effect of an angiotensin-converting enzyme inhibitor on plasma levels of, in tilting, 313
Allopurinol, comparative enzyme inhibition and protein binding studies of, with thiopurinol, oxipurinol and 6-mercaptopurine, 119
Amphetamine, effect of, on uptake of glucose into human isolated skeletal muscle, 340P
Amylobarbitone, effects of low doses of, and diazepam on human performance tests, 173P
Amylobarbitone sodium, compared with indomethacin for sleep in rheumatoid arthritis, 151
– , rate of hydroxylation of, decreases with age in man, 41
Amitriptyline, interactions of, with guanethidine and thymoxamine in the human iris, 516
Another drug interaction, 9
Antipyrine, influence of raised plasma hydrocortisone concentrations on metabolism of, in man, 409
Aprindine, comparison of effectiveness of, procainamide and quinidine in chronic ventricular dysrhythmias, 461
Aspirin, absorption of, from the alimentary tract following administration of carbenoxolone sodium, 178P
– , effect of, alone or with alcohol on human psychomotor skills related to driving compared with that of indomethacin or phenylbutazone alone or with alcohol, 477
– , effects of food and activity on absorption of effervescent, 137
– , influence of buffered, on absorption of indomethacin in man, 178P
Atropine sulphate, effect of, on sputum viscosity and volume in chronic bronchitics and asthmatics, 179P

B

β-adrenoceptor blockers, assessment of, in hyperthyroidism, 93
– , cardiotoxic effects of vasodilating antihypertensive drugs with use of, 182P
– , effects on glyceryl trinitrate tachycardia, 19
Benzoctamine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Benzodiazepines, seem to induce phenytoin metabolism, 344P
Blood level or pharmacological response?, 11

C

Caffeine, effect on sleep in middle age, 203
Cannabis, pilot study of Δ^1-THC, constituent of, on management of stress in radiotherapy for bronchogenic carcinoma, 301
Carbenoxolone sodium, effect of, on aspirin absorption from the alimentary tract, 178P
Carbimazole, metabolized rapidly to methimazole, 265
Catecholamines, excretion used as a measure of pain in rheumatoid arthritis, 80
Chlordiazepoxide, effect of, alone and with alcohol on psychomotor skills, 176P
Chlorpromazine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
– , relationship of plasma, to its 7-hydroxy and sulphoxide metabolites in chronic schizophrenics, 425
Choline, effect of lithium treatment of on, transport in human erythrocytes, 265
Ciba 34276–Ba, a new tricyclic antidepressant drug, 113
– , assessment of potential drug interactions with, as method for other antidepressant drugs, 113
Clemastine, comparison with triprolidine on histamine antagonism and performance tests in man, 342P
– , is an effective antihistamine, but causes CNS impairment, 342P
Clobazam, apparently produces improvement in motor performance, 346P
– , evaluation of effects of, on human motor co-ordination, mental acuity and mood, 346P
– , preliminary studies in humans of, a new anti-anxiety agent, 174P
Clonidine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Clotrimazole, endocrine effects of, 342P
– , may have anti-oestrogenic effect, 342P
Coeliac disease, propranolol and practolol plasma levels in, in adults, 348P
Continuing education and clinical pharmacology, 449
Cyclopenthiazide, effect of, on sputum viscosity and volume in chronic bronchitics and asthmatics, 179P

D

Debrisoquine, potentiates circulatory effects of phenylephrine in man, 51
D(–)ephedrine, four times more potent in stimulating central nervous system than L(+)pseudoephedrine, 71
D-glucaric acid, excretion of, and plasma antipyrine kinetics during enzyme induction, 253
– , excretion of, following ethosuximide treatment, 249
Dialysis, *in vitro,* of drugs as an indication of the potential usefulness of haemodialysis in poisoning, 442

Diamorphine, absorption of, by the gastro-intestinal tract, measured by urinary excretion, 491
– , comparison of alimentary absorption of, with morphine, 491
Diazepam, comparison of, and thymoxamine in human spasticity, 347P
– , comparison with ±-propranolol and +-propranolol, in induced anxiety, 379
– , effect of, alone and with alcohol on psychomotor skills, 176P
– , effect on oculomotor balance, 335
– , effects of low doses of amylobarbitone and, on human performance tests, 173P
– , oral administration of, more effective than intramuscular administration, 343P
– , physiological and psychological effects of, in induced anxiety, 379
– , physiological response to propranolol and, in chronic anxiety, 387
– , plasma levels of, following single administration, 343P
2-(2,6-Diethylphenylamino)-2-imidazoline hydrochloride, 197
Digoxin, bioavailability of, from rapidly dissolving preparations, 329
– , effect of variations in protein binding of, on distribution, 325
1-(3,5-Dihydroxyphenyl)-2-tertiarybutylamino-ethanol, *see* terbutaline
Dimethothiazine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Dimethylbiguanide, enhances elimination rate of phenprocoumone in treatment of diabetes, 341P
1-(2,6-Dimethylphenoxy)2-aminopropane, *see* Kö 1173
Diphenhydramine, influence of, on absorption of methaqualone in man, 259
Drugs and driving, 451

E

Ephedrine, effects on human central nervous system of two isomers of, triprolidine, and combination of one with triprolidine, 71
Erythrocytes, change in mechanical fragility of, following *in vitro* administration of oxidant drugs, 191
Ethosuximide, effect on liver enzyme induction and D-glucaric acid excretion, 249
– , simple technique for rapid estimation of, by gas liquid chromatography, 79
2-2(Ethoxyphenoxymethyl)-2,3,5,6,tetrohydro-1,4,oxagine), *see* ICI 58 834

F

Fenfluramine, dose related effect of, on uptake of glucose into human isolated skeletal muscle, 511
– , effect of, on uptake of glucose into human isolated skeletal muscle, 340P
Fenoprofen, a new anti-inflammatory agent, 371
– , interaction between phenobarbitone and, in man, 371
Fluphenazine, effect of, on steady state plasma levels of nortriptyline, 337
Fluphenazine decanoate, effect of, on hepatic microsomal enzyme activity in man, 277
Flupenthixole, effect of, alone and with alcohol on psychomotor skills, 176P
Frusemide, effect of, on indomethacin plasma levels in rheumatoid arthritis, 485

G

Gastric emptying and drug absorption, 189
– , effects of drugs on, assessed by breathalyser, 233
Gentamicin, computer prescribing aid for, 45
Glucose, dose related effect of fenfluramine and norfenfluramine on uptake of, in human isolated skeletal muscle, 511
Glutathione peroxidase, inhibition of in erythrocytes following *in vitro* administration of oxidant drugs, 191
Gonadotrophins, increased secretion of, following treatment with clotrimazole, 342P
Guanethidine, interactions of amitriptyline with thymoxamine and, in the human iris, 516
Guidelines for advertisers, 357, 359

H

Heinz body, formation of, in erythrocytes following *in vitro* administration of oxidant drugs, 191
Heptabarbitone, human performance after, 209, 343P
Hydrocortisone, effect of prednisone on half-life of intravenous, 237
– , influence of raised plasma concentrations of, on antipyrine metabolism in man, 409
4-(2-Hydroxy-3-isopropylaminopropoxy) phenyl acetamide, *see* ICI 66082
5-1-Hydroxy-2(1-methyl-3-phenyl propyl) amino ethyl salicylamide hydrochloride, *see* AH 5158
Hyperthyroidism, assessment of β-adrenoceptor blocking drugs in, 93

I

ICI 58 834, preliminary observations of, a new psychotropic agent, in man, 169
ICI 66082, influence of urine pH on renal excretion of, 513
– , simple spectrophotofluorometric method for measurement of, in plasma and urine, 84
Imidazoline, effect of derivative ST-91 on heart rate and blood pressure in man, 197
Indomethacin, clinical significance of interaction of, with probenecid, 287
– , effect of, alone or with alcohol on human psychomotor skills related to driving compared with that of aspirin or phenylbutazone alone or with alcohol, 477
– , effect of frusemide on plasma levels of, in rheumatoid arthritis, 485
– , influence of buffered aspirin on absorption of, in man, 178P
– , plasma levels of, increased by administration of probenecid, 287

– , reduces level of plasma kininogens in rheumatoid arthritis, 351P
– , value of, compared with amylobarbitone sodium for sleep in rheumatoid arthritis, 151
Indoramin, acts by α-adrenoceptor blockade, 13
– , effect on peripheral blood flow, 13
– , effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Instructions to authors, 3
Interactions with warfarin, 285

K

Kininogen, plasma levels of, greatly raised in untreated rheumatoid inflammation, 351P
Kö 1173, Mexiletine, 86
Kö 1313, inhibits increase in heart rate caused by isoprenaline in anaesthetized dogs, 27
– , may have cardio-selective activity, 27
– , may have intrinsic sympathomimetic activity, 27
– , with propranolol orally in man, effect on heart rate, 27

L

Leucocytes, enzyme activities of, affected by clotrimazole treatment, 342P
Levodopa, absorption and metabolism of standard dose of, in patients with Parkinsonism, 417
Lipogenesis, effects of norfenfluramine on, by human adipose tissue *in vitro,* 413
Lithium, absorption and excretion of, similar in both slow-release and conventional administration, 339P
– , effect of, alone and with alcohol on psychomotor skills, 176P
– , inhibits choline transport in human erythrocytes, 365
LL.21.945, more effective β-adrenoceptor blocking agent than pindolol, 350P
– , a long acting β-receptor blocking drug, 350P

M

Marcoumar®, phenprocoumone, eliminated faster in presence of dimethylbiguanide in treatment of diabetes, 341P
6-Mercaptopurine, comparative enzyme inhibition and protein binding studies of, thiopurinol, allopurinol and oxipurinol, 119
Methaqualone, availability of, from different commercial formulations *in vitro* and *In vivo* in man, 99
– , influence of diphenhydramine on absorption of, in man, 259
Methimazole, plasma concentrations of, a metabolite of carbimazole, in hyperthyroid patients, 265
Metoclopramide, efficacy of, against narcotic-induced emetic symptoms, 177P
Mexiletine, influence of urinary pH on elimination of, 229
– , renal excretion of, under controlled pH conditions, 86
Modecate®, fluphenazine decanoate, 277
Morphine, absorption of, by the gastro-intestinal tract, measured by urinary excretion, 491
– , comparison of alimentary absorption of, with diamorphine, 491

N

Nicotine, absorption and metabolism of, by man during cigarette smoking, 180P
Noradrenaline, effect of α-adrenoceptor blocking drugs on pressor responses to ankle jerk amplitude and, in man, 499
Norfenfluramine, dose related effect of, on uptake of glucose into human isolated skeletal muscle, 511
– , effect of, on uptake of glucose into human isolated skeletal muscle, 340P
– , effects of, on lipogenesis by human adipose tissue *in vitro* 413
Nortriptyline, effect of fluphenazine on steady state plasma levels of, 337

O

Oxipurinol, comparative enzyme inhibition and protein binding studies of, with allopurinol, 6-mercaptopurine and thiopurinol, 119
Oxytetracycline hydrate, biological availability and *in vitro* dissolution of, in tablet form, 405

P

Paracetamol, bioavailability of different preparations of, 495
– , charcoal haemoperfusion as early treatment for, overdose, 271
Pheneturide, inhibits phenytoin metabolism, 344P
Phenobarbitone, interaction between, and fenoprofen in man, 371
Phenprocoumone, elimination of, affected by dimethylbiguanide, 341P
Phenylbutazone, effect of, alone or with alcohol on human psychomotor skills related to driving compared with that of aspirin or indomethacin alone or with alcohol, 477
Phenylephrine, interaction with debrisoquine, 51
Phenytoin, dose adjustment of, in epileptic patients, 163
– , dose-dependent half-life of, 182P
– , inhibition of metabolism of, caused by sulthiame in epileptics, 59
– , metabolism of, affected by pheneturide and benzodiazepines, 344P
– , rate of elimination of tracer doses of, at different steady-state serum phenytoin in epileptics, 155
Pindolol, comparison of effects of, with LL.21.945, 350P
Piribedil, serum concentration and urinary excretion of uric acid following treatment with, 439
Plasma concentrations of tricyclic antidepressive drugs, 281
Plasma renin activity, effect of an angiotensin-converting enzyme inhibitor on plasma levels of, in tilting, 313

Potassium clorazepate, a new benzodiazepine, 512
– , attempted suicide with, 512
Practolol, controlled trial of, in mild hypertension, 375
– , effect of, on heart rate and airway resistance during rest and exercise, 349P
– , effectiveness of, in hyperthyroidism, 93
– , enterhepatic circulation of, in man, 169
– , has no effect on renin responses to heat exposure, 307
– , more cardioselective in its action than propranolol, 349P
– , plasma levels of, following oral administration in adult coeliac disease, 348P
– , reduces increase in heart rate in glyceryl trinitrate tachycardia, 19
– , studies on the parenteral administration of, 181P
Prednisone, effect on half-life of intravenous hydrocortisone, 237
Probenecid, raises plasma levels of indomethacin in rheumatoid arthritis, 287
Procainamide, comparison of effectiveness of aprindine, and quinidine in chronic ventricular dysrhytmias, 461
Procaine amide, acetylation of, in man studied by a new gas chromatographic method, 467
Prochlorperazine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Propranolol, anxiety and the central nervous system, 361
– , determination of safe period for withdrawal of, 182P
– , distribution of, between blood and plasma in hypertensive patients, 440
– , effect of, on central nervous system activity, 83
– , effect of, on heart rate and airway resistance during rest and exercise, 349P
– , effect on oxygen haemoglobin affinity in man, 67
– , effect on plasma renin activity and body temperature of, in heat-exposed man, 307
– , effectiveness of, in hyperthyroidism, 93
– , has insignificant effect on body temperature in heat-exposed man, 307
– , physiological response to, and diazepam in chronic anxiety, 387
– , plasma levels of, following oral administration in adult coeliac disease, 348P
– , reduces increase in heart rate in glyceryl trinitrate tachycardia, 19
– , suppresses increase in plasma renin activity normal in heat exposure to level at normal temperatures, 307
+-Propranolol, comparison with ±-propranolol and diazepam, in induced anxiety, 379
– , physiological and psychological effects of, in induced anxiety, 379
±-Propranolol, comparison with +-propranolol and diazepam, in induced anxiety, 379
– , physiological and psychological effects of, in induced anxiety, 379
Prostaglandin E_2, comparison of effects of, and salbutamol by intravenous infusion on airways obstruction in asthma, 399
– , unsuitable for use in management of asthmatic attacks, 399
Purine, excretion of, in psoriasis during allopurinol therapy, 107
1-Pyrimidinyl-4-piperonylpiperazine, *see* piribedil
Pyrimidine, excretion of, in psoriasis during allopurinol therapy, 107

Q

Quinidine, comparison of effectiveness of aprindine, procainamide and, in chronic ventricular dysrhythmias, 461
– , correlation between plasma, and cardiac effect, 455
Quinine, serum half-life of, may be useful index of hepatic microsomal enzyme activity in man, 352P

R

Ro 3-4787, a new β-adrenoceptor blocking agent, 143
RX 72601, preliminary assessment of, a new anticholinesterase in man, 217
– , reverses effects of neuromuscular blockade without premedication with atropine, 217

S

Salbutamol, comparison of effects of prostaglandin E_2 and, by intravenous infusion on airways obstruction in asthma, 399
– , effects of different applications on metabolism and absorption of, 295
– , effects of, on physiological tremor, bronchial tone and heart rate, 223
– , investigation of development of tolerance to, 291
Salmefamol, a new sympathomimetic bronchodilator drug, 391
– , clinical pharmacology of, 391
Secobarbital, oral sodium quinalbarbitone, effects of and fasting on performance of intelligence tests, 175P
Sequential procedures in perspective, 91
Sodium quinalbarbitone, effects of oral, and fasting performance of intelligence tests, 175P
ST-91, 2-(2,6-diethylphenylamino)-2-imidazoline hydrochloride, 197
Sulthiame, inhibits phenytoin metabolism in epileptics, 59

T

Terbutaline, effects of, on physiological tremor, bronchial tone and heart rate, 223
– , metabolism of, in man and dog, 129
Tetracyclines, bioavailability of commercial, 319
The clinical consequences of chronic hepatic enzyme induction by anticonvulsant drugs, 185
The new journal, 7
Theophylline, simple method for estimation of plasma, by gas liquid chromatography, 514
Thiopurinol, comparative enzyme inhibition and protein binding studies with allopurinol, oxipurinol and 6-mercaptopurine, 119

Thioridazine, effect on pressor responses to noradrenaline and ankle jerk amplitude in man, 499
Thymoxamine, comparison of, with diazepam in human spasticity, 347P
– , effectively inhibits abnormal muscle stretch activity in some forms of spasticity, 347P
– , interactions of amitriptyline with guanethidine and, in the human iris, 516
Triprolidine, comparison with clemastine on histamine antagonism and performance tests in man, 342P
– , effects on human central nervous system of, alone and in combination with L(+)pseudophedrine, 71
Tropicamide, on prolonged exposure induces mydriatic and cycloplegic effects, 37

V

Viloxazine hydrochloride, a new antidepressant of novel chemical structure, 431
– , clinical pharmacology of, 431
– , effects of, compared with imipramine, 431
Vivalan, viloxazine hydrochloride, ICI 58,824, a new antidepressant, 431

Z

Zarontin®, ethosuximide substituted succinimide, 79